

C06GCF – NAG Fortran Library Routine Document

Note. Before using this routine, please read the Users' Note for your implementation to check the interpretation of bold italicised terms and other implementation-dependent details.

1 Purpose

C06GCF forms the complex conjugate of a sequence of n data values.

2 Specification

```
SUBROUTINE C06GCF(Y, N, IFAIL)
  INTEGER          N, IFAIL
  real            Y(N)
```

3 Description

This is a utility routine for use in conjunction with C06ECF or C06FCF to calculate inverse discrete Fourier transforms (see the Chapter Introduction).

4 References

None.

5 Parameters

- 1:** Y(N) — *real* array *Input/Output*
On entry: if Y is declared with bounds (0:N-1) in the (sub)program which C06GCF is called, then Y(j) must contain the imaginary part of the j th data value, for $0 \leq j \leq n - 1$.
On exit: these values are negated.
- 2:** N — INTEGER *Input*
On entry: the number of data values, n .
Constraint: $N \geq 1$.
- 3:** IFAIL — INTEGER *Input/Output*
On entry: IFAIL must be set to 0, -1 or 1. For users not familiar with this parameter (described in Chapter P01) the recommended value is 0.
On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors detected by the routine:

IFAIL = 1
 N < 1.

7 Accuracy

Exact.

8 Further Comments

The time taken by the routine is negligible.

9 Example

This program reads in a sequence of complex data values and prints their inverse discrete Fourier transform as computed by calling C06GCF, followed by C06ECF and C06GCF again.

9.1 Program Text

Note. The listing of the example program presented below uses bold italicised terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```

*      C06GCF Example Program Text
*      Mark 14 Revised.  NAG Copyright 1989.
*      .. Parameters ..
      INTEGER          NMAX
      PARAMETER       (NMAX=20)
      INTEGER          NIN, NOUT
      PARAMETER       (NIN=5,NOUT=6)
*      .. Local Scalars ..
      INTEGER          IFAIL, J, N
*      .. Local Arrays ..
      real             X(0:NMAX-1), Y(0:NMAX-1)
*      .. External Subroutines ..
      EXTERNAL         C06ECF, C06GCF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'C06GCF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
20  READ (NIN,*,END=80) N
      IF (N.GT.1 .AND. N.LE.NMAX) THEN
          DO 40 J = 0, N - 1
              READ (NIN,*) X(J), Y(J)
40  CONTINUE
          IFAIL = 0
*
          CALL C06GCF(Y,N,IFAIL)
          CALL C06ECF(X,Y,N,IFAIL)
          CALL C06GCF(Y,N,IFAIL)
*
          WRITE (NOUT,*)
          WRITE (NOUT,*)
+      'Components of inverse discrete Fourier transform'
          WRITE (NOUT,*)
          WRITE (NOUT,*) '          Real          Imag'
          WRITE (NOUT,*)
          DO 60 J = 0, N - 1
              WRITE (NOUT,99999) J, X(J), Y(J)
60  CONTINUE
          GO TO 20
      ELSE

```

```
        WRITE (NOUT,*) 'Invalid value of N'  
      END IF  
      80 STOP  
*  
99999 FORMAT (1X,I6,2F10.5)  
      END
```

9.2 Program Data

C06GCF Example Program Data

```
7  
0.34907 -0.37168  
0.54890 -0.35669  
0.74776 -0.31175  
0.94459 -0.23702  
1.13850 -0.13274  
1.32850  0.00074  
1.51370  0.16298
```

9.3 Program Results

C06GCF Example Program Results

Components of inverse discrete Fourier transform

	Real	Imag
0	2.48361	-0.47100
1	0.01983	-0.56496
2	-0.14825	-0.30840
3	-0.22506	-0.17477
4	-0.28767	-0.05865
5	-0.36711	0.09756
6	-0.55180	0.49684
