

E02RBF – NAG Fortran Library Routine Document

Note. Before using this routine, please read the Users' Note for your implementation to check the interpretation of bold italicised terms and other implementation-dependent details.

1 Purpose

E02RBF evaluates a rational function at a user-supplied point, given the numerator and denominator coefficients.

2 Specification

```
SUBROUTINE E02RBF(A, IA, B, IB, X, ANS, IFAIL)
INTEGER          IA, IB, IFAIL
real             A(IA), B(IB), X, ANS
```

3 Description

Given a real value x and the coefficients a_j , for $j = 0, \dots, l$ and b_k , for $k = 0, \dots, m$, E02RBF evaluates the rational function

$$\frac{\sum_{j=0}^l a_j x^j}{\sum_{k=0}^m b_k x^k}.$$

using nested multiplication (Conte and de Boor [1]).

A particular use of E02RBF is to compute values of the Padé approximants determined by E02RAF.

4 References

- [1] Conte S D and de Boor C (1965) *Elementary Numerical Analysis* McGraw–Hill
- [2] Peters G and Wilkinson J H (1971) Practical problems arising in the solution of polynomial equations *J. Inst. Maths. Applies.* **8** 16–35

5 Parameters

- 1: A(IA) — **real** array *Input*
On entry: A($j + 1$), for $j = 1, 2, \dots, l + 1$, must contain the value of the coefficient a_j in the numerator of the rational function.
- 2: IA — INTEGER *Input*
On entry: the value of $l + 1$, where l is the degree of the numerator.
Constraint: IA ≥ 1 .
- 3: B(IB) — **real** array *Input*
On entry: B($k + 1$), for $k = 1, 2, \dots, m + 1$, must contain the value of the coefficient b_k in the denominator of the rational function.
Constraint: if IB = 1, B(1) must be non-zero.
- 4: IB — INTEGER *Input*
On entry: the value of $m + 1$, where m is the degree of the denominator.
Constraint: IB ≥ 1 .
- 5: X — **real** *Input*
On entry: the point x at which the rational function is to be evaluated.

6: ANS — <i>real</i>	<i>Output</i>
<i>On exit:</i> the result of evaluating the rational function at the given point x .	
7: IFAIL — INTEGER	<i>Input/Output</i>
<i>On entry:</i> IFAIL must be set to 0, -1 or 1. For users not familiar with this parameter (described in Chapter P01) the recommended value is 0.	

On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors detected by the routine:

IFAIL = 1

The rational function is being evaluated at or near a pole.

IFAIL = 2

On entry, IA < 1,

or IB < 1,

or B(1) = 0.0 when IB = 1 (so the denominator is identically zero).

7 Accuracy

A running error analysis for polynomial evaluation by nested multiplication using the recurrence suggested by Kahan (see Peters and Wilkinson [2]) is used to detect whether the user is attempting to evaluate the approximant at or near a pole.

8 Further Comments

The time taken by the routine is approximately proportional to $l + m$.

9 Example

The example program first calls E02RAF to calculate the 4/4 Padé approximant to e^x , and then uses E02RBF to evaluate the approximant at $x = 0.1, 0.2, \dots, 1.0$.

9.1 Program Text

Note. The listing of the example program presented below uses bold italicised terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```

*      E02RBF Example Program Text.
*      Mark 14 Revised. NAG Copyright 1989.
*      .. Parameters ..
    INTEGER          L, M, IA, IB, IC, IW
    PARAMETER        (L=4,M=4,IA=L+1,IB=M+1,IC=IA+IB-1,IW=IB*(2*IB+3))
    INTEGER          NOUT
    PARAMETER        (NOUT=6)
*      .. Local Scalars ..
    real            ANS, TVAL, X
    INTEGER          I, IFAIL
*      .. Local Arrays ..
    real            AA(IA), BB(IB), CC(IC), W(IW)
*      .. External Subroutines ..
    EXTERNAL         E02RAF, E02RBF

```

```

*      .. Intrinsic Functions ..
INTRINSIC      EXP, real
*      .. Executable Statements ..
WRITE (NOUT,*) 'E02RBF Example Program Results'
CC(1) = 1.0e0
DO 20 I = 1, IC - 1
    CC(I+1) = CC(I)/real(I)
20 CONTINUE
    IFAIL = 0
*
CALL E02RAF(IA,IB,CC,IC,AA,BB,W,IW,IFAIL)
*
WRITE (NOUT,*) '
WRITE (NOUT,*) '      X          Pade          True'
DO 40 I = 1, 10
    X = real(I)/10.0e0
    IFAIL = 0
*
CALL E02RBF(AA,IA,BB,IB,X,ANS,IFAIL)
*
TVAL = EXP(X)
WRITE (NOUT,99999) X, ANS, TVAL
40 CONTINUE
STOP
*
99999 FORMAT (1X,F6.1,3e15.5)
END

```

9.2 Program Data

None.

9.3 Program Results

E02RBF Example Program Results

X	Pade	True
0.1	0.11052E+01	0.11052E+01
0.2	0.12214E+01	0.12214E+01
0.3	0.13499E+01	0.13499E+01
0.4	0.14918E+01	0.14918E+01
0.5	0.16487E+01	0.16487E+01
0.6	0.18221E+01	0.18221E+01
0.7	0.20138E+01	0.20138E+01
0.8	0.22255E+01	0.22255E+01
0.9	0.24596E+01	0.24596E+01
1.0	0.27183E+01	0.27183E+01