

F07BHF (SGBRFS/DGBRFS) – NAG Fortran Library Routine Document

Note. Before using this routine, please read the Users' Note for your implementation to check the interpretation of bold italicised terms and other implementation-dependent details.

1 Purpose

F07BHF (SGBRFS/DGBRFS) returns error bounds for the solution of a real band system of linear equations with multiple right-hand sides, $AX = B$ or $A^T X = B$. It improves the solution by iterative refinement, in order to reduce the backward error as much as possible.

2 Specification

```

SUBROUTINE F07BHF(TRANS, N, KL, KU, NRHS, AB, LDAB, AFB, LDAFB,
1             IPIV, B, LDB, X, LDX, FERR, BERR, WORK, IWORK,
2             INFO)
ENTRY      sgrfs(TRANS, N, KL, KU, NRHS, AB, LDAB, AFB, LDAFB,
1             IPIV, B, LDB, X, LDX, FERR, BERR, WORK, IWORK,
2             INFO)
INTEGER    N, KL, KU, NRHS, LDAB, LDAFB, IPIV(*), LDB, LDX,
1             IWORK(*), INFO
real     AB(LDAB,*), AFB(LDAFB,*), B(LDB,*), X(LDX,*),
1             FERR(*), BERR(*), WORK(*)
CHARACTER*1 TRANS

```

The ENTRY statement enables the routine to be called by its LAPACK name.

3 Description

This routine returns the backward errors and estimated bounds on the forward errors for the solution of a real band system of linear equations with multiple right-hand sides $AX = B$ or $A^T X = B$. The routine handles each right-hand side vector (stored as a column of the matrix B) independently, so we describe the function of the routine in terms of a single right-hand side b and solution x .

Given a computed solution x , the routine computes the *component-wise backward error* β . This is the size of the smallest relative perturbation in each element of A and b such that x is the exact solution of a perturbed system

$$(A + \delta A)x = b + \delta b$$

$$|\delta a_{ij}| \leq \beta |a_{ij}| \text{ and } |\delta b_i| \leq \beta |b_i|.$$

Then the routine estimates a bound for the *component-wise forward error* in the computed solution, defined by:

$$\max_i |x_i - \hat{x}_i| / \max_i |x_i|$$

where \hat{x} is the true solution.

For details of the method, see the the Chapter Introduction.

4 References

- [1] Golub G H and van Loan C F (1996) *Matrix Computations* Johns Hopkins University Press (3rd Edition), Baltimore

5 Parameters

- 1: TRANS — CHARACTER*1 *Input*
On entry: indicates the form of the linear equations for which X is the computed solution as follows:

if TRANS = 'N', then the linear equations are of the form $AX = B$.
 if TRANS = 'T' or 'C', then the linear equations are of the form $A^T X = B$.

Constraint: TRANS = 'N', 'T' or 'C'.

- 2:** N — INTEGER *Input*
On entry: n , the order of the matrix A .
Constraint: $N \geq 0$.
- 3:** KL — INTEGER *Input*
On entry: k_l , the number of sub-diagonals within the band of A .
Constraint: $KL \geq 0$.
- 4:** KU — INTEGER *Input*
On entry: k_u , the number of super-diagonals within the band of A .
Constraint: $KU \geq 0$.
- 5:** NRHS — INTEGER *Input*
On entry: r , the number of right-hand sides.
Constraint: $NRHS \geq 0$.
- 6:** AB(LDAB,*) — *real* array *Input*
Note: the second dimension of the array AB must be at least $\max(1,N)$.
On entry: the n by n original band matrix A as supplied to F07BDF (SGBTRF/DGBTRF), but stored in rows 1 to $(k_l + k_u + 1)$ of the array rather than in rows $(k_l + 1)$ to $(2k_l + k_u + 1)$.
- 7:** LDAB — INTEGER *Input*
On entry: the first dimension of the array AB as declared in the (sub)program from which F07BHF (SGBRFS/DGBRFS) is called.
Constraint: $LDAB \geq KL + KU + 1$.
- 8:** AFB(LDAFB,*) — *real* array *Input*
Note: the second dimension of the array AFB must be at least $\max(1,N)$.
On entry: the LU factorization of A , as returned by F07BDF (SGBTRF/DGBTRF).
- 9:** LDAFB — INTEGER *Input*
On entry: the first dimension of the array AFB as declared in the (sub)program from which F07BHF (SGBRFS/DGBRFS) is called.
Constraint: $LDAFB \geq 2 \times KL + KU + 1$.
- 10:** IPIV(*) — INTEGER array *Input*
Note: the dimension of the array IPIV must be at least $\max(1,N)$.
On entry: the pivot indices, as returned by F07BDF (SGBTRF/DGBTRF).
- 11:** B(LDB,*) — *real* array *Input*
Note: the second dimension of the array B must be at least $\max(1, NRHS)$.
On entry: the n by r right-hand side matrix B .
- 12:** LDB — INTEGER *Input*
On entry: the first dimension of the array B as declared in the (sub)program from which F07BHF (SGBRFS/DGBRFS) is called.
Constraint: $LDB \geq \max(1,N)$.

- 13:** X(LDX,*) — *real* array Input/Output
Note: the second dimension of the array X must be at least $\max(1, \text{NRHS})$.
On entry: the n by r solution matrix X , as returned by F07BEF (SGBTRS/DGBTRS).
On exit: the improved solution matrix X .
- 14:** LDX — INTEGER Input
On entry: the first dimension of the array X as declared in the (sub)program from which F07BHF (SGBRFS/DGBRFS) is called.
Constraint: $\text{LDX} \geq \max(1, N)$.
- 15:** FERR(*) — *real* array Output
Note: the dimension of the array FERR must be at least $\max(1, \text{NRHS})$.
On exit: $\text{FERR}(j)$ contains an estimated error bound for the j th solution vector, that is, the j th column of X , for $j = 1, 2, \dots, r$.
- 16:** BERR(*) — *real* array Output
Note: the dimension of the array BERR must be at least $\max(1, \text{NRHS})$.
On exit: $\text{BERR}(j)$ contains the component-wise backward error bound β for the j th solution vector, that is, the j th column of X , for $j = 1, 2, \dots, r$.
- 17:** WORK(*) — *real* array Workspace
Note: the dimension of the array WORK must be at least $\max(1, 3*N)$.
- 18:** IWORK(*) — INTEGER array Workspace
Note: the dimension of the array IWORK must be at least $\max(1, N)$.
- 19:** INFO — INTEGER Output
On exit: $\text{INFO} = 0$ unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

INFO < 0

If $\text{INFO} = -i$, the i th parameter had an illegal value. An explanatory message is output, and execution of the program is terminated.

7 Accuracy

The bounds returned in FERR are not rigorous, because they are estimated, not computed exactly; but in practice they almost always overestimate the actual error.

8 Further Comments

For each right-hand side, computation of the backward error involves a minimum of $4n(k_l + k_u)$ floating-point operations. Each step of iterative refinement involves an additional $2n(4k_l + 3k_u)$ operations. This assumes $n \gg k_l$ and $n \gg k_u$. At most 5 steps of iterative refinement are performed, but usually only 1 or 2 steps are required.

Estimating the forward error involves solving a number of systems of linear equations of the form $Ax = b$ or $A^T x = b$; the number is usually 4 or 5 and never more than 11. Each solution involves approximately $2n(2k_l + k_u)$ operations.

The complex analogue of this routine is F07BVF (CGBRFS/ZGBRFS).

9 Example

To solve the system of equations $AX = B$ using iterative refinement and to compute the forward and backward error bounds, where

$$A = \begin{pmatrix} -0.23 & 2.54 & -3.66 & 0.00 \\ -6.98 & 2.46 & -2.73 & -2.13 \\ 0.00 & 2.56 & 2.46 & 4.07 \\ 0.00 & 0.00 & -4.78 & -3.82 \end{pmatrix} \text{ and } B = \begin{pmatrix} 4.42 & -36.01 \\ 27.13 & -31.67 \\ -6.14 & -1.16 \\ 10.50 & -25.82 \end{pmatrix}.$$

Here A is nonsymmetric and is treated as a band matrix, which must first be factorized by F07BDF (SGBTRF/DGBTRF).

9.1 Program Text

Note. The listing of the example program presented below uses bold italicised terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```

*      F07BHF Example Program Text
*      Mark 15 Release. MAG Copyright 1991.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
      real            ZERO
      PARAMETER        (ZERO=0.0e0)
      INTEGER          NMAX, NRHMAX, KLMAX, KUMAX, LDAB, LDAFB, LDB, LDX
      PARAMETER        (NMAX=8,NRHMAX=NMAX,KLMAX=8,KUMAX=8,
+                      LDAB=KLMAX+KUMAX+1,LDAFB=2*KLMAX+KUMAX+1,
+                      LDB=NMAX,LDX=NMAX)
      CHARACTER        TRANS
      PARAMETER        (TRANS='N')
*      .. Local Scalars ..
      INTEGER          I, IFAIL, INFO, J, K, KL, KU, N, NRHS
*      .. Local Arrays ..
      real            AB(LDAB,NMAX), AFB(LDAFB,NMAX), B(LDB,NRHMAX),
+                      BERR(NRHMAX), FERR(NRHMAX), WORK(3*NMAX),
+                      X(LDX,NMAX)
      INTEGER          IPIV(NMAX), IWORK(NMAX)
*      .. External Subroutines ..
      EXTERNAL         F06QFF, F06QHF, sgbrfs, sgbtrf, sgbtrs, X04CAF
*      .. Intrinsic Functions ..
      INTRINSIC        MAX, MIN
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F07BHF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N, NRHS, KL, KU
      IF (N.LE.NMAX .AND. NRHS.LE.NRHMAX .AND. KL.LE.KLMAX .AND. KU.LE.
+      KUMAX) THEN
*
*      Set A to zero to avoid referencing uninitialized elements
*
      CALL F06QHF('General',KL+KU+1,N,ZERO,ZERO,AB,LDAB)
*
*      Read A and B from data file, and copy A to AFB and B to X
*
      K = KU + 1
      READ (NIN,*) ((AB(K+I-J,J),J=MAX(I-KL,1),MIN(I+KU,N)),I=1,N)
      READ (NIN,*) ((B(I,J),J=1,NRHS),I=1,N)

```

```

*
      CALL F06QFF('General',KL+KU+1,N,AB,LDAB,AFB(KL+1,1),LDAFB)
*
      CALL F06QFF('General',N,NRHS,B,LDB,X,LDX)
*
      Factorize A in the array AFB
*
      CALL sgbtrf(N,N,KL,KU,AFB,LDAFB,IPIV,INFO)
*
      WRITE (NOUT,*)
      IF (INFO.EQ.0) THEN
*
          Compute solution in the array X
*
          CALL sgbtrs(TRANS,N,KL,KU,NRHS,AFB,LDAFB,IPIV,X,LDX,INFO)
*
          Improve solution, and compute backward errors and
          estimated bounds on the forward errors
*
          CALL sgbrfs(TRANS,N,KL,KU,NRHS,AB,LDAB,AFB,LDAFB,IPIV,B,LDB,
+             X,LDX,FERR,BERR,WORK,IWORK,INFO)
*
          Print solution
*
          IFAIL = 0
*
          CALL X04CAF('General',' ',N,NRHS,X,LDX,'Solution(s)',IFAIL)
*
          WRITE (NOUT,*)
          WRITE (NOUT,*) 'Backward errors (machine-dependent)'
          WRITE (NOUT,99999) (BERR(J),J=1,NRHS)
          WRITE (NOUT,*)
+             'Estimated forward error bounds (machine-dependent)'
          WRITE (NOUT,99999) (FERR(J),J=1,NRHS)
          ELSE
          WRITE (NOUT,*) 'The factor U is singular'
          END IF
      END IF
      STOP
*
99999 FORMAT ((3X,1P,7e11.1))
      END

```

9.2 Program Data

F07BHF Example Program Data

```

 4  2  1  2           :Values of N, NRHS, KL and KU
-0.23  2.54 -3.66
-6.98  2.46 -2.73 -2.13
          2.56  2.46  4.07
          -4.78 -3.82       :End of matrix A

 4.42 -36.01
27.13 -31.67
-6.14 -1.16
10.50 -25.82           :End of matrix B

```

9.3 Program Results

F07BHF Example Program Results

Solution(s)

	1	2
1	-2.0000	1.0000
2	3.0000	-4.0000
3	1.0000	7.0000
4	-4.0000	-2.0000

Backward errors (machine-dependent)

1.1E-16	9.9E-17
---------	---------

Estimated forward error bounds (machine-dependent)

1.6E-14	1.9E-14
---------	---------
