

NAG Fortran Library Routine Document

G05MLF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

G05MLF generates a vector of pseudo-random integers from the discrete hypergeometric distribution of the number of specified items in a sample of size l , taken from a population of size n with m specified items in it..

2 Specification

```
SUBROUTINE G05MLF(MODE, NS, NP, M, N, X, IGEN, ISEED, R, NR, IFAIL)
INTEGER          MODE, NS, NP, M, N, X(N), IGEN, ISEED(4), NR, IFAIL
real           R(NR)
```

3 Description

G05MLF generates n integers x_i from a discrete hypergeometric distribution with mean λ , where the probability of $x_i = I$ is

$$P(i = I) = \frac{l!m!(n-l)!(n-m)!}{I!(l-I)!(m-I)!(n-m-l+I)!n!} \quad \text{if } I = \max(0, m+l-n), \dots, \min(l, m),$$

$$P(i = I) = 0 \quad \text{otherwise.}$$

The variates can be generated with or without using a search table and index. If a search table is used then it is stored with the index in a reference vector and subsequent calls to G05MLF with the same parameter values can then use this reference vector to generate further variates. The reference array is generated by a recurrence relation if $lm(n-l)(n-m) < 50n^3$, otherwise Stirling's approximation is used.

One of the initialisation routines G05KBF (for a repeatable sequence if computed sequentially) or G05KCF (for a non-repeatable sequence) must be called prior to the first call to G05MLF.

4 References

Knuth D E (1981) *The Art of Computer Programming (Volume 2)* (2nd Edition) Addison-Wesley

5 Parameters

1: MODE – INTEGER *Input*

On entry: a code for selecting the operation to be performed by the routine:

MODE = 0

Set up reference vector only.

MODE = 1

Generate variates using reference vector set up in a prior call to G05MLF.

MODE = 2

Set up reference vector and generate variates.

MODE = 3

Generate variates without using the reference vector.

Constraint: $0 \leq \text{MODE} \leq 3$.

- 2: NS – INTEGER *Input*
On entry: the sample size, l , of the hypergeometric distribution.
Constraint: $0 \leq \text{NS} \leq \text{NP}$.
- 3: NP – INTEGER *Input*
On entry: the population size, n , of the hypergeometric distribution.
Constraint: $\text{NP} \geq 0$.
- 4: M – INTEGER *Input*
On entry: the number of specified items, m , of the hypergeometric distribution.
Constraint: $0 \leq \text{M} \leq \text{NP}$.
- 5: N – INTEGER *Input*
On entry: the number, n , of pseudo-random numbers to be generated.
Constraint: $\text{N} \geq 1$.
- 6: X(N) – INTEGER array *Output*
On exit: the n pseudo-random numbers from the specified hypergeometric distribution.
- 7: IGEN – INTEGER *Input*
On entry: must contain the identification number for the generator to be used to return a pseudo-random number and should remain unchanged following initialisation by a prior call to one of the routines G05KBF or G05KCF.
- 8: ISEED(4) – INTEGER array *Input/Output*
On entry: contains values which define the current state of the selected generator.
On exit: contains updated values defining the new state of the selected generator.
- 9: R(NR) – *real* array *Input/Output*
On exit: the reference vector.
- 10: NR – INTEGER *Input*
On entry: the dimension of the array R as declared in the (sub)program from which G05MLF is called.
Suggested value: $\text{NR} = 20 + \sqrt{(\text{NS} \times \text{M} \times (\text{NP} - \text{M}) \times (\text{NP} - \text{NS}))/\text{N}^3}$ approximately (for optimum efficiency in G05EYF).
Constraints:
 if MODE = 0 or 2, then NR must not be too small, but the limit is too complicated to specify;
 if MODE = 1, then NR should remain unchanged from the previous call to G05MLF;
 if MODE = 3, then R is not referenced.

11: IFAIL – INTEGER

Input/Output

On entry: IFAIL must be set to 0, -1 or 1. Users who are unfamiliar with this parameter should refer to Chapter P01 for details.

On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, for users not familiar with this parameter the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1 , explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, $N < 1$.

IFAIL = 2

On entry, NR is too small when MODE = 0 or 2 (see Section 5).

IFAIL = 3

On entry, $NP < 0$.

IFAIL = 4

On entry, $M > NP$,
or $M < 0$.

IFAIL = 5

On entry, $NS > NP$,
or $NS < 0$.

IFAIL = 6

On entry, MODE < 0 ,
or MODE > 3 .

IFAIL = 7

On entry, at least one of NS, NP or M is not the same as when R was set up in a previous call with MODE = 0 or 2.

7 Accuracy

Not applicable.

8 Further Comments

None.

9 Example

The example program prints 20 pseudo-random integers from a hypergeometric distribution with $l = 500$, $m = 900$ and $n = 1000$, generated by a single call to G05MLF, after initialisation by G05KBF.

9.1 Program Text

Note: the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```

*      G05MLF Example Program Text
*      Mark 20 Release. NAG Copyright 2001.
*      .. Parameters ..
INTEGER          NOUT, N, NR
PARAMETER       (NOUT=6,N=20,NR=200)
*      .. Local Scalars ..
INTEGER          I, IFAIL, IGEN, M, NP, NS
*      .. Local Arrays ..
real           R(NR)
INTEGER          ISEED(4), X(N)
*      .. External Subroutines ..
EXTERNAL        G05KBF, G05MLF
*      .. Executable Statements ..
WRITE (NOUT,*) 'G05MLF Example Program Results'
WRITE (NOUT,*)
*      Set the distribution parameters NS, NP, M
NS = 500
M = 900
NP = 1000
*      Initialise the seed to a repeatable sequence
ISEED(1) = 1762543
ISEED(2) = 9324783
ISEED(3) = 42344
ISEED(4) = 742355
*      IGEN identifies the stream.
IGEN = 1
CALL G05KBF(IGEN,ISEED)
*      Choose MODE = 2
IFAIL = 0
CALL G05MLF(2,NS,NP,M,N,X,IGEN,ISEED,R,NR,IFAIL)
*
WRITE (NOUT,99999) (X(I),I=1,N)
STOP
*
99999 FORMAT (1X,I12)
END

```

9.2 Program Data

None.

9.3 Program Results

G05MLF Example Program Results

444
458
449
453
458
449
451
449
448
456
450
449
451
462
442
448
455
448
441
452
